

3.8 3.9 Review Problems

① $y = e^{\cos^{-1}(\tan(2x))} + x$

Find $\frac{dy}{dx}$

② $y = 7^{\cos^{-1}(\frac{1}{x})}$

Find $\frac{dy}{dx} \rightarrow$ simplify to

$$\frac{\ln(7) \cdot 7^{\cos^{-1}(\frac{1}{x})}}{x \sqrt{x^2 - 1}}$$

③ $y = \ln(2x^4 + 7x)$

Find $\frac{dy}{dx}$

④ $y = e^{3x} \tan \sqrt{x}$

Find $\frac{dy}{dx}$

⑤ $y = \cot^{-1} \sqrt{x}$

Find $\frac{dy}{dx} \rightarrow$ simplify to

$$\frac{-1}{2\sqrt{x}(x+1)}$$

⑥ $y = \sec^{-1}(\tan(2x+1))$

Find $\frac{dy}{dx}$

⑦ $y = e^{\tan^{-1}(\sin^{-1}x)}$

Find $\frac{dy}{dx}$

⑧ $y = e^{\tan^{-1}(5x)} \cdot \ln(\csc^{-1}(2x))$

Find $\frac{dy}{dx}$

⑨ $y = \frac{\cos(e^x)}{\sin^{-1}(\frac{1}{x^2})}$

Find $\frac{dy}{dx}$

⑩ $y = \ln(\ln(5x) + x)$

Find $\frac{dy}{dx}$

USE PROPERTIES OF LOGS FIRST — THEN FIND $f'(x)$

$$(11) \quad f(x) = \ln \sqrt[5]{\frac{(x-3)^4(x^2+1)}{(2x+5)^3}}$$

$$(12) \quad f(x) = \log_7(\sin(x) + 5)$$

$$(13) \quad f(x) = \log(\sec^2 x) \quad \text{simplify to} \quad \boxed{\frac{2 \tan x}{\ln(10)}}$$

USE LOGARITHMIC DIFFERENTIATION TO FIND $\frac{dy}{dx}$

$$(14) \quad y = x^{\cos^{-1} x}$$

$$(15) \quad y = (\sin x)^{(\sin^{-1} x)}$$

INVERSE'S DERIVATIVE

$$(16) \quad f(x) = 3x^7 + 2x + 5 \quad \text{and} \quad g(x) = f^{-1}(x)$$

A. Prove the inverse of f is also a function

B. Find $g'(10)$

$$(17) \quad f(x) = 2x + \sin x$$

Find $\frac{d}{dx} [f^{-1}(\pi + 1)]$

18) $xy + \sin^{-1}(y) = y^2$ Find $\frac{dy}{dx}$

Simplify to $\frac{y\sqrt{1-y^2}}{2y\sqrt{1-y^2} - x\sqrt{1-y^2} - 1}$

19) $e^{xy} + \cos(y) = \ln(x+y)$ Find $\frac{dy}{dx}$

Do NOT Simplify

20) Find the equation of the line tangent to

$$e^y + y + 3x = 4 \quad \text{at } x=1$$

21) Develop the derivatives for

| | |
|------------------|------------------|
| $y = \sin^{-1}x$ | $y = \tan^{-1}x$ |
| $y = \sec^{-1}x$ | $y = e^x$ |
| $y = \ln x$ | $y = a^x$ |