

NAME:

DATE:

Key

A2.Q2.BERMELLEEMBO: SOLVING QUADRATIC EQUATIONS BY MIXED METHODS

**DAY EQ5
(EQUATIONS)**

REVIEW

Solve the equation by using the **factoring method (EQ1)**. BOX YOUR ANSWER

1. $2x^2 - 3x = 5$ $2x^2 - 3x - 5 = 0$

ALSO CIRCLE: A. TWO REAL SOLUTIONS B. ONE REAL REPEAT SOLUTION C. NO REAL SOLUTIONS

$$\begin{array}{r} \wedge \qquad \qquad \wedge \\ 2x \quad x \qquad +1 \quad -5 \\ -5 \quad +1 \end{array}$$

$$\begin{array}{r} (2x+1)(x-5) \\ +1x \\ -10x \\ \hline -9x \quad \text{NO} \end{array}$$

$$(2x-5)(x+1) = 0$$

$$\begin{array}{r} (2x-5)(x+1) \\ -5x \\ +2x \\ \hline -3x \quad \text{yes} \end{array}$$

$$\begin{array}{r} 2x-5=0 \\ +5 \quad +5 \\ \hline 2x=5 \end{array}$$

$$\begin{array}{r} x+1=0 \\ -1 \quad -1 \\ \hline x=-1 \end{array}$$

$$\begin{array}{r} 2x=5 \\ 2 \quad 2 \end{array}$$

$$\boxed{x = \frac{5}{2} \text{ OR } x = -1}$$

Solve the equation by using the **graphing method (EQ3)**. BOX YOUR ANSWER


2. $x^2 + x = 6$

Be sure to draw a quick sketch to support your answer(s).

ALSO CIRCLE: A. TWO REAL SOLUTIONS B. ONE REAL REPEAT SOLUTION C. NO REAL SOLUTIONS

$$x^2 + x - 6 = 0$$

Let $f(x) = x^2 + x - 6 = 0$



$$\boxed{x = -3 \text{ OR } x = 2}$$

Solve the equation by using the **formula method (EQ2)**. BOX YOUR ANSWER

3. $5x^2 = 14x + 3$ $5x^2 - 14x - 3 = 0$ $a = 5$ $b = -14$ $c = -3$
 ~~$-14x - 3$~~ ~~$-14x - 3$~~

ALSO CIRCLE: A. TWO REAL SOLUTIONS B. ONE REAL REPEAT SOLUTION C. NO REAL SOLUTIONS

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-(-14) \pm \sqrt{(-14)^2 - 4(5)(-3)}}{2(5)}$$

$$x = \frac{14 \pm \sqrt{256}}{10}$$

$$x = \frac{14 \pm 16}{10}$$

$$x = \frac{14 + 16}{10} \quad \text{OR} \quad x = \frac{14 - 16}{10}$$

$$x = \frac{30}{10}$$

$$x = \frac{-2}{10}$$

$x = 3 \quad \text{OR} \quad x = -\frac{1}{5}$

(EQ4)

QUADRATIC FORMULA:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

4. GIVEN: $3x^2 + 7 = 5x$
 $\quad \quad \quad -5x \quad -5x$

$$3x^2 - 5x + 7 = 0$$

$$a=3 \quad b=-5 \quad c=7$$

A. Find the value of the discriminant.

$$\begin{aligned} & b^2 - 4ac \\ & (-5)^2 - 4(3)(7) \\ & 25 - 84 \\ & \boxed{-59} \end{aligned}$$

B. Use the value of the discriminant to determine the number and type of solutions.

Since -59 is negative, there are

two imaginary solutions

C. Solve the given quadratic formula equation using the quadratic formula. Express your final answer in simplified form (no decimals).

$$x = \frac{-(-5) \pm \sqrt{-59}}{2(3)}$$

$$x = \frac{5 \pm i\sqrt{59}}{6}$$

$$\boxed{x = \frac{5 + i\sqrt{59}}{6} \quad \text{OR} \quad x = \frac{5 - i\sqrt{59}}{6}}$$

Solve the equation by using the **factoring method**. BOX YOUR ANSWER

5. $3x^2 + 10x - 8 = 0$

ALSO CIRCLE: A. TWO REAL SOLUTIONS B. ONE REAL REPEAT SOLUTION C. TWO IMAGINARY SOLUTIONS

$$\begin{array}{r}
 3x^2 + 10x - 8 = 0 \\
 \begin{array}{cc}
 \wedge & \wedge \\
 3x & x \\
 -1 & +8 \\
 +8 & -1 \\
 -2 & +4 \\
 +4 & -2
 \end{array}
 \end{array}$$

$$\begin{array}{r}
 (3x-1)(x+8) \\
 -1x \\
 +24x \\
 \hline
 23x \text{ NO}
 \end{array}$$

$$\begin{array}{r}
 (3x+8)(x-1) \\
 +8x \\
 -3x \\
 \hline
 5x \text{ NO}
 \end{array}$$

$$\begin{array}{r}
 (3x-2)(x+4) \\
 -2x \\
 +12x \\
 \hline
 10x \text{ YES}
 \end{array}$$

$$\begin{array}{r}
 (3x+4)(x-2) \\
 4x \\
 -6x \\
 \hline
 -2x \text{ NO}
 \end{array}$$

$$(3x-2)(x+4) = 0$$

$$\begin{array}{r}
 3x-2=0 \\
 +2 \quad +2 \\
 \hline
 3x = 2 \\
 \frac{3x}{3} = \frac{2}{3}
 \end{array}$$

$$\begin{array}{r}
 x+4=0 \\
 -4 \quad -4 \\
 \hline
 x = -4
 \end{array}$$

$$\frac{3x}{3} = \frac{2}{3}$$

$$\boxed{x = \frac{2}{3} \text{ OR } x = -4}$$


Solve the equation by using the **graphing method**. BOX YOUR ANSWER

6. $x^2 + 8x + 16 = 0$

Be sure to draw a quick sketch to support your answer(s).

ALSO CIRCLE: A. TWO REAL SOLUTIONS B. ONE REAL REPEAT SOLUTION C. TWO IMAGINARY SOLUTIONS

Let $f(x) = x^2 + 8x + 16 = 0$



$$\boxed{x = -4}$$

Solve the equation by using the **formula method**. BOX YOUR ANSWER

7. $9x^2 + 6x + 1 = 0$ (If there are two imaginary solutions, write your answers with i)

ALSO CIRCLE: A. TWO REAL SOLUTIONS B. ONE REAL REPEAT SOLUTION C. TWO IMAGINARY SOLUTIONS

$$a=9 \quad b=6 \quad c=1$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-(6) \pm \sqrt{(6)^2 - 4(9)(1)}}{2(9)}$$

$$x = \frac{-6 \pm \sqrt{0}}{18}$$

$$x = \frac{-6+0}{18} \quad \text{OR} \quad x = \frac{-6-0}{18}$$

$$x = -\frac{1}{3} \quad \text{OR} \quad x = -\frac{1}{3}$$

8. $3x^2 - x + 3 = 0$ (If there are two imaginary solutions, write your answers with i)

ALSO CIRCLE: A. TWO REAL SOLUTIONS B. ONE REAL REPEAT SOLUTION C. TWO IMAGINARY SOLUTIONS

$$a=3 \quad b=-1 \quad c=3$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-(-1) \pm \sqrt{(-1)^2 - 4(3)(3)}}{2(3)}$$

$$x = \frac{1 \pm \sqrt{-35}}{6}$$

$$x = \frac{1 \pm i\sqrt{35}}{6}$$

$$x = \frac{1 + i\sqrt{35}}{6} \quad \text{OR} \quad x = \frac{1 - i\sqrt{35}}{6}$$

9. Simplify the expression that includes the imaginary number i

“add cinnamon”

A. $12i(5i)$

$$60i^2$$
$$60(-1)$$
$$\boxed{-60}$$

B. $(3i+4)(2i+7)$

$$6i^2 + 21i + 8i + 28$$
$$6(-1) + 29i + 28$$
$$\boxed{-6} + 29i \boxed{+ 28}$$
$$\boxed{22 + 29i}$$